

Accessories

Portable Gas Detectors

Microtector II G450	page 2
Microtector II G460	page 4
Microtector III G888	page 6
Polytector III G999	page 7
Micro IV single gas detector	page 8



Accessories

Microtector II G450

DESCRIPTION	PART NUMBER
Alkaline battery pack	1450-202
NiMH-II battery pack with lights	1450-212
NiMH-II battery pack	1450-211
Smart Charger Cap (for charging, calibration and data transfer to a PC)	1450215
Plug-in power supply for NiMH-II battery pack, 110 VAC (wall cube style)	4001-650
Vehicle power supply for 12 VDC on-board (cigarette style)	4001-650V
Charging cradle DIC1B single charging cradle for devices without pump, with bracket (charging and data transfer to a PC), power supply not included	1450220
Charging cradle DIC1B double charging cradle for devices with pump, with bracket (charging and data transfer to a PC)	1450220D
Charging cradle Drop-in charger DIC1B with bracket and plug-in charger	1450220P
Charging cradle Drop-in charger DIC2B with bracket and plug-in charger	1450220DP
Data logger and software (CD)	1450233
Data logger , software and USB-cable	1450235R
Data logger kit for alkaline instrument, software, USB-cable and drop-in charger DIC1B charging cradle	1450235
USB-cable (for a PC)	1650231
Smart cap (for calibration)	1450225
Protective case for devices with display cover and carrying straps, for G450/G460 without pump	1450266
Protective case for devices with display cover and carrying straps, for G450/G460 with pump	1450269
Attachable motorized pump with hose adapter, 1 ft sampling tube and alkaline battery pack with 2 batteries	1450-921
Attachable motorized pump with hose adapter, 1 ft sampling tube and rechargeable battery pack	1450-922
Attachable motorized pump with hose adapter, 1 ft sampling tube and rechargeable battery pack with lights	1450-924

Accessories

Microtector II G450

DESCRIPTION	PART NUMBER
Teststation TS400 for G450/G460 without pump, without charging function, includes fitting, configuration software	1450-601
Teststation TS400 for G450/G460 with pump, without charging function, includes fitting, configuration software	1450-602
Teststation TS400 for G450/G460 without pump, with charging function, includes fitting, configuration software	1450-611
Teststation TS400 for G450/G460 with pump, with charging function, includes. fitting, configuration software	1450-612
Docking station DS400 for G450, G460 with tray DIC1D for instruments without pump, includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-401
Docking station DS400 for G450, G460 with tray DIC2D for instruments with pump, includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-402
Docking station DS404 for G450/G460 with tray DIC1D for instruments without pump, includes. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-404
Docking station DS404 for G450/G460 with tray DIC2D for instruments with pump, includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-405



Accessories

Microtector II G460

DESCRIPTION	PART NUMBER
Alkaline battery pack	?
NiMH battery pack	1450-211
NiMH battery pack with lights	1450-212
Alkaline battery pack	1450-202
Smart Charger Cap (for charging, calibration and data transfer to a PC)	1450215
Plug-in power supply for NiMH-II battery pack, 110 VAC (wall cube style)	4001-650
Vehicle power supply for 12 VDC on-board (cigarette style)	4001-650V
Charging cradle DIC1B single charging cradle for devices without pump, with bracket (charging and data transfer to a PC), power supply not included	1450220
Charging cradle Drop-in charger DIC1B with bracket and plug-in charger	1450220P
Charging cradle Drop-in charger DIC2B with bracket and plug-in charger	1450220DP
Data logger and software (CD)	1450233
Data logger , software and USB-cable	1450235R
Data logger kit for alkaline instrument, software, USB-cable and drop-in charger DIC1B charging cradle	1450235
Micro-SD card , for long-term storage of measurement values (only in combination with a data logger)	3005-MSDC
USB-cable (for a PC)	1650231
Smart cap (for calibration)	1450225
Protective case for devices with display cover and carrying straps, for G450/G460 without pump	1450266
Protective case for devices with display cover and carrying straps, for G450/G460 with pump	1450269
Attachable motorized pump with hose adapter, 1 ft sampling tube and alkaline battery pack with 2 batteries	1450-921
Attachable motorized pump with hose adapter, 1 ft sampling tube and rechargeable battery pack	1450-922
Attachable motorized pump with hose adapter, 1 ft sampling tube and rechargeable battery pack with lights	1450-924

Accessories

Microtector II G460

DESCRIPTION	PART NUMBER
Teststation TS400 for G450/G460 without pump, without charging function, includes fitting, configuration software	1450-601
Teststation TS400 for G450/G460 with pump, without charging function, includes fitting, configuration software	1450-602
Teststation TS400 for G450/G460 without pump, with charging function, includes fitting, configuration software	1450-611
Teststation TS400 for G450/G460 with pump, with charging function, includes. fitting, configuration software	1450-612
Docking station DS400 for G450, G460 with tray DIC1D for instruments without pump, includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-401
Docking station DS400 for G450, G460 with tray DIC2D for instruments with pump, includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-402
Docking station DS404 for G450/G460 with tray DIC1D for instruments without pump, includes. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-404
Docking station DS404 for G450/G460 with tray DIC2D for instruments with pump, includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-405



Accessories

Microtector III G888

DESCRIPTION	PART NUMBER
Drop-in charger DIC G888/G999 without plug-in charger	1990220
Drop-in charger DIC G888/G999 with plug-in charger	1990221?
RF Transceiver Dongle wireless USB-Dongle US 915 MHz and G888/G999 Visual-Software (requires MS Windows)	1990202
Data logger kit includes report generator software, data interface cable and smart cap	1990205
Smart Charger Cap for G888 (charging, calibration, data transfer to PC)	1990210
Smart Charger Cap for G888 with data interface cable (charging, calibration, data transfer to PC)	1990212
Protective case for devices with display cover and carrying straps, for G888	1990297
USB-Data Interface cable for data transfer (DIC to PC), for G888/G999	1990229
USB-Data Interface cable for data transfer (SCC to PC), Length: 6 ft	1450600
Docking station DS400 for G888, G999 includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-406
Docking station DS404 for G888, G999 includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-407



Accessories

Polytector III G999

DESCRIPTION	PART NUMBER
Drop-in charger DIC G888/G999 without plug-in charger	1990220
Drop-in charger DIC G888/G999 with plug-in charger	1888-220
RF Transceiver Dongle wireless USB-Dongle US 915 MHz and G888/G999 Visual-Software (requires MS Windows)	1990202
Data logger kit includes report generator software, data interface cable and smart cap	1990205
Smart Charger Cap for G888 (charging, calibration, data transfer to PC)	1990210
USB-Data Interface cable for data transfer (DIC to PC), for G888/G999	1990229
Protective case for devices with display cover and carrying straps, for G999	1990298
Special sampling hose , anti-static with dust/water filter, Length: 10 ft	1000208
Special sampling hose , anti-static with dust/water filter, Length: 20 ft	1000210
In-line hydrophobic barrier filter against water and particles for special sampling hose (pack of three)	1000207
Float probe type C	1000225
Telescopic probe , CrNi-steel, Length: 4.5 ft	1000205
Telescopic probe , CrNi-steel, Length: 6 ft	1000206
Docking station DS400 for G888, G999 includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-406
Docking station DS404 for G888, G999 includes power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450-407



Accessories

Micro IV single gas detector

DESCRIPTION	PART NUMBER
Rubber boot cover (top/bottom)	1318214
Battery AA	4002-001
Calibration adapter with hose for non-reactive test gases	7770-223
Calibration adapter with hose for reactive test gases	7770-201C
Electronic sample draw pump with hose and wand	1318-911
Telescopic probe , CrNi-steel, Length: 4.5 ft	1000205
In-line hydrophobic barrier filter against water and particles for special sampling hose (pack of three)	1000207
6-unit Docking station DS220 for Micro IV includes power supply, MMC-Memory Card, PC interface cable and software. Requires demand flow regulator.	1419-201
Single unit Calibration and Data Download station DI220 for Micro IV includes PC interface cable and software. Requires fixed flow regulator with on/off knob and hose.	1419-204

